



Europäisches
Patentamt

European
Patent Office

Office européen
des brevets

PCT / IB 0 3 / 0 2 7 3 4

0 8. 08. 03

21 DEC 2004

REC'D. 2 2 AUG 2003

WIPO

PCT

Bescheinigung

Certificate

Attestation

Die angehefteten Unterla-
gen stimmen mit der
ursprünglich eingereichten
Fassung der auf dem näch-
sten Blatt bezeichneten
europäischen Patentanmel-
dung überein.

The attached documents
are exact copies of the
European patent application
described on the following
page, as originally filed.

Les documents fixés à
cette attestation sont
conformes à la version
initialement déposée de
la demande de brevet
européen spécifiée à la
page suivante.

Patentanmeldung Nr. Patent application No. Demande de brevet n°

02077585.4

PRIORITY DOCUMENT
SUBMITTED OR TRANSMITTED IN
COMPLIANCE WITH
RULE 17.1(a) OR (b)

Der Präsident des Europäischen Patentamts;
Im Auftrag

For the President of the European Patent Office

Le Président de l'Office européen des brevets
p.o.

R C van Dijk

Best Available Copy



Anmeldung Nr:
Application no.: 02077585.4
Demande no:

Anmeldetag:
Date of filing: 27.06.02
Date de dépôt:

Anmelder/Applicant(s)/Demandeur(s):

Koninklijke Philips Electronics N.V.
Groenewoudseweg 1
5621 BA Eindhoven
PAYS-BAS

Bezeichnung der Erfindung/Title of the invention/Titre de l'invention:
(Falls die Bezeichnung der Erfindung nicht angegeben ist, siehe Beschreibung.
If no title is shown please refer to the description.
Si aucun titre n'est indiqué se référer à la description.)

Medical care experience

In Anspruch genommene Priorität(en) / Priority(ies) claimed /Priorité(s)
revendiquée(s)
Staat/Tag/Aktenzeichen/State/Date/File no./Pays/Date/Numéro de dépôt:

Internationale Patentklassifikation/International Patent Classification/
Classification internationale des brevets:

G06F17/30

Am Anmeldetag benannte Vertragstaaten/Contracting states designated at date of
filing/Etats contractants désignées lors du dépôt:

AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU MC NL PT SE TR

Medical care experience

The invention relates to a method for enabling a person to obtain information on medical care equipment, the method comprising a first step of offering the person an option to indicate a selected medical care equipment on a user interface, and a second step of transmitting, on receipt of an indication of the selected medical care equipment, information relating to the indicated medical care equipment to the user interface.

The invention further relates to a system for enabling a person to obtain information on medical care equipment, comprising a user interface comprising means for indicating a selected medical care equipment on the user interface, and a computer means for receiving an indication of the selected medical care equipment from the user interface, and for transmitting, on receipt of said indication, information relating to the indicated medical care equipment to the user interface.

A person having the prospect of undergoing some kind of medical care activity often has poor access to understandable information on what to expect from this medical care activity and the medical care equipment used therewith. Often someone is reserved in asking his specialist directly for information, and if he does it is likely that he receives an answer in professional terminology which the person, being a layman, does not understand very well. Another option to obtain the information is by looking it up on the Internet. Certain Internetsites offer the option to indicate certain medical care equipment in a search engine, which then offers access to known Internetsites comprising information on the medical care equipment. However, information on medical care equipment specifically meant for patients is hard to find among all the professional information, and even if it is found, it also suffers from the drawback of the complex terminology which is used.

It is an object of the invention to provide a method of enabling a person to obtain information on medical care equipment in a user-friendly way.

To achieve this object, a method of enabling a person to obtain information on a medical care equipment according to the invention is characterized in the method comprises a step of offering a generation of a two-dimensional view from a viewpoint which is user-controllable, of a three-dimensional representation of the medical care equipment which is comprised in a database. A three-dimensional representation of the medical care equipment is comprised in a database, and a two-dimensional view from this three-dimensional representation is generated from a viewpoint which is chosen by the person. The person can personally control the viewpoint from which he wants the two-dimensional view to be generated, and can thus experience the medical care equipment which he or she later will experience as a patient, from different angles and views as a spectator in real life. A person envisaging undergoing a medical care activity within the future, such as an examination, is thus offered the possibility to experience the medical care equipment used therewith in a user-friendly manner which is close to a real life experience. The fact that the person him- or herself is in control and is enabled to become familiar with all aspects of the medical care equipment in his or her own tempo, offers a comfortable feeling with regard to the medical care equipment which may reflect to the appreciation of the hospital as a whole.

An embodiment of a method according to the invention is characterized in that the method comprises a step of offering an option to adjust the selected three-dimensional representation, representing a change in the configuration of the selected medical care equipment. In this manner the user is enabled to influence the characteristics of the three-dimensional representation in the database. This makes it possible to have a first two-dimensional view generated, which shows medical care equipment in a first position, then to execute a certain operation, which changes the properties of the three-dimensional representation in the database, and then to have generated a further two-dimensional view which shows the medical care equipment in a different position. The user may for example be enabled to move a movable part of the medical care equipment, or may move a handle or push buttons on it.

An embodiment of a method according to the invention is characterized in that the method comprises a step of offering an option to generate a sequence of two-dimensional views. In this manner the user is offered the possibility to experience a sequence of views which may for example offer an overview of the use of certain medical care equipment during a certain medical care activity.

An embodiment of a method according to the invention is characterized in that the information comprises audible information relating to the indicated medical care

equipment. In this manner the experience of the two-dimensional visual information on the medical care equipment is enhanced by sound information.

It is advantageous when the medical care equipment comprise a medical examination device. In a real life situation the confrontation of the patient with the medical examination device is usually somewhat tense and uncomfortable, since a medical examination has to be undergone, in which the patient is a layman and all others present in the room are experts. When the medical care equipment offered on the user interface comprise a medical examination device, the person can experience the medical examination device in any preferred manner in a comfortable tempo when he or she is not yet in the situation of being a patient by controlling the generation of two-dimensional views of its three-dimensional representation, and by controlling its three-dimensional representation. The user may thus experience the medical examination device for example by watching the device from different angles, as to obtain a view of all ins and outs of the device, or handling the user interface of the device, to experience the device from the point of view of its operator.

It is especially advantageous when a viewpoint may be selected from which a two-dimensional view of an inside area of a medical examination device is generated. In certain medical examinations, such as Magnetic Resonance Imaging (MRI), the patient has to lie in an enclosed space for some time for the purpose of the examination. Often the idea of being enclosed in combination with not knowing what is happening outside the device causes anxiety with the patient in advance already. This has a negative effect on the actual experience, which leaves the patient in discomfort after the examination. However, when one is enabled to take a look at the inside of the MRI-device, and to see what happens at the outside of the device when the patient is lying within the device, the feeling of discomfort will be diminished.

It is advantageous when the audible information comprises an operating sound of the indicated medical examination device. In this manner the person is not only enabled to visually experience the device, but also to become familiar with the sounds it produces during operation. An explanation in spoken text can furthermore be given on which sounds relate to which actions of the device.

An embodiment of a method according to the invention is characterized in that the first step is combined with offering the person the option to include information on facial characteristics of him-or herself with this indication, which information is included in the selected three-dimensional representation. The information on facial characteristics can be

incorporated into the two-dimensional views in such a manner that the user can view, as an external spectator, him-or herself on the user interface as a patient undergoing medical care activities with the medical care equipment.

It is advantageous when the first step is combined with offering the person the option to include the name of a medical care location, which indication is used for the selection of a three-dimensional representation of the indicated medical care equipment. In this manner the person is enabled to take a look at how a specific medical care location, such as a hospital in his neighbourhood, has arranged the medical care equipment and processes related to it. This is advantageous for persons having the opportunity to make a choice themselves for a certain hospital, since they are enabled to compare the medical care equipment of various medical care locations. When one is not able to make this choice and is bound to a certain location for undergoing medical care activities, offering the person the option to indicate a medical care location is also advantageous for becoming familiar with the medical care equipment at said specific location.

A system for enabling a person to obtain information on medical care equipment according to the invention is characterized in that it comprises means for selecting a viewpoint, a database comprising three-dimensional representations of medical care equipment, means for selecting, from said database, a three-dimensional representation based on the indication of the selected medical care equipment, and means for generating a two-dimensional view from a selected viewpoint of the selected three-dimensional representation.

The invention will be described in more detail hereinafter with reference to the drawings, in which

Fig. 1 shows a first embodiment of a system arranged to perform a method according to the invention for enabling a person to obtain information on medical care equipment,

Fig. 2 shows a detail of a further embodiment of a system arranged to perform a method according to the invention for enabling a person to obtain information on medical care equipment.

Figure 1 shows a first embodiment of a system arranged to perform a method of enabling a person P to obtain information on medical care equipment. The system

according to the invention comprises a user interface 1 comprising means 2 for indicating medical care equipment A on the user interface 1. Said means 2 comprise for example a keyboard for typing in the data, a computer mouse or touch screen for choosing from a list of medical care equipment, or means for voice input. It is noted that any type of generally
5 known means for providing input to a user interface may be used.

The system further comprises a computer means 3 for receiving an indication of the selected medical care equipment A from the user interface 1 and for transmitting, on receipt of said indication, information B,V relating to the indicated medical care equipment A to the user interface. The computer means 3 comprises a database 3a which comprises a
10 collection of three-dimensional representations R of medical care equipment A and means 3b for selecting from said database a three-dimensional representation R based on the indication of the selected medical care equipment A. Furthermore the system comprises means 3c to generate, based on the selected viewpoint, a two-dimensional view V of a three-dimensional representation R of the medical care equipment A. The user can choose the viewpoint from
15 which a two-dimensional view V of the medical care equipment A is generated, and can in this manner choose from which distance and from which angle he can take a look at the medical care equipment A via the generated two-dimensional view V. The technical realisation of offering a user-controllable viewpoint and the generation of a two-dimensional view from said viewpoint of a three-dimensional representation which is comprised in a
20 database, is known to persons skilled in the art, and will therefor not be further elucidated here.

In this embodiment this user-control takes place through the means 2' which also fulfil the function of enabling the person to indicate medical care equipment A on the user interface, such as for example the keys of a keyboard. It is noted that these means 2 and
25 2' may also comprise separate devices, such as a keyboard 22 for typing in the data concerning the medical care equipment, and a mouse 22' for controlling the generation of the two-dimensional view on the user interface. It is noted that any type of generally known control-and input means may be used.

In this embodiment, the information B comprises audible information B' relating to the indicated medical care activity A. This audible information may comprise for
30 example a voice describing certain elements of the medical care equipment, or sounds which originate during use of the medical care equipment, and which can be heard by the patient during this use.

The method according to the invention will be further elucidated on the basis of Figure 2, relating to a situation in which a person has to undergo a medical care activity in a hospital and wants to obtain more information on the used medical care equipment. The person receives information from his doctor that he has to undergo a medical care activity in a hospital, in this embodiment an Magnetic Resonance Imaging (MRI)-examination. The person, further indicated as the user, gives the term 'MRI' as the indication of medical care equipment A via typing on a keyboard 22 as input on the user interface 1', which in this embodiment comprises a personal computer 11 provided with a monitor. The computer means 3 for receiving data from the user interface in computer 3, which may be of the type of a generally known external server or the like, receive this data from the personal computer 11. The computer means 3 comprises in the collection of its database 3a a three-dimensional representation R' of a MRI-examination device and generates, based on input from the user, a two-dimensional view V' 1 of the three-dimensional representation R' of this device. The means 3 may comprise any known type of computer means able to perform these tasks, and will not be further elucidated here.

In this embodiment the input for the generation of the two-dimensional view V' of a three-dimensional representation R' of the MRI-device on the user interface 1 is given by the user by means of a mouse 22'. By moving the mouse 22', and thus a cursor 5 present on the monitor of the personal computer 11, two-dimensional views V' of the three-dimensional representation R' of the MRI-device are generated from different viewpoints, by means of which the user can view the device on the user interface from various angles and distances and virtually walk around it. In this manner, he can become familiar with the appearance of the device.

In this embodiment, the method comprises a step of offering an option to adjust the selected three-dimensional representation R', representing a change in the configuration of the selected medical care equipment. The user can have a first two-dimensional view V' generated, which shows medical care equipment in a first position, then execute a certain operation, which changes the properties of the three-dimensional representation R' in the database, and then have generated a further two-dimensional view V' which shows the medical care equipment A in a different position. The user may for example be enabled to move the table of the MRI-device, on which a patient lies during examination, into and out of the device, by clicking on said table as displayed on the monitor with the cursor 5 driven by the mouse 22', and dragging it into a different position. The user may for example also be enabled to activate buttons on the operator side of the device, by clicking on

them with the cursor 5 driven by the mouse 22'. In this manner the user is enabled to virtually interact with the medical care equipment A, next to controlling the viewpoint from which a two-dimensional view V' is generated.

Furthermore the systems offers the option to generate a sequence of two-dimensional views V'. The user is offered the possibility to experience a sequence of views which may for example offer an overview of the use of the medical care equipment during a certain medical care activity. In this embodiment, the user may activate the generation of a sequence of two-dimensional views V' of the MRI-device while it is being used during the process of a MRI examination on a patient. The three-dimensional representation R' of the MRI-device in this embodiment comprises all aspects of the device which it has during use. In this manner the user can experience the whole course of a MRI examination from beginning to end as a spectator, and become more familiar with all the aspects of this examination, before experiencing it oneself as a patient. The sequence of views may be generated actively, that is, the generation of two-dimensional views V' of the three-dimensional representation R' of the MRI-device depends on the input the user gives during operation, via movement of the mouse 22' and thus movement of the cursor 5 on the monitor. In this manner the user influences the viewing angle and distance from which he views the process of the examination with the MRI-device. The sequence of views may also be generated in a more passive manner, that is, the user controls the generation of a certain first two-dimensional view V', for example by clicking via the mouse 22' on a start-button on the user interface, and then activates a pre-determined and stored sequence of two-dimensional views showing the MRI-device during use. In this manner the user can view the process of the examination with the MRI-device from a pre-determined viewing angle and distance, as a film.

Furthermore, in this embodiment a viewpoint may be selected from which a two-dimensional view of an inside area of a medical examination device, here the MRI-device, is generated. Via movement of the mouse 22' and thus movement of the cursor 5 on the user interface 1, towards the entrance opening of the device, the user is thus offered the option to virtually enter the MRI-device, to experience the device from the inside, in accordance with the way he will be experiencing the device during the examination. The audio data B' in this embodiment comprises sounds which are related to the operation of the MRI-device, to provide the user an overall experience of everything he will see and will hear during the examination with the MRI-device.

Furthermore, the user is offered the option to include information on facial characteristics of him-or herself with this indication, which information is included in the selected three-dimensional representation R'. In this embodiment a camera 4 is provided on the user interface for this purpose. It is noted that any type of generally known means to provide information on facial characteristics into a user interface may be used, such as for example including a scanned image of an earlier taken picture of the user. The user activates this camera 4 to take a picture of his or her face, which picture is then send along with the other information to the computer means 3. The picture is incorporated into the two-dimensional view V' which results in the user being able to watch on the user interface 1 a person, provided with his or her own facial characteristics, undergoing the medical care activity with the indicated medical care equipment A. This external viewing of oneself as a patient enhances the feeling of familiarity with the medical care equipment.

In this embodiment the two-dimensional view V' comprises a hyperlink 24 to further information on the medical examination device. By clicking with the mouse 22' on a certain area 24 of the two-dimensional view V' of the device, a further screen 23 is reached which offers additional information on the device. This information comprises for example technical information or information on the manufacturer of the device. Furthermore the information may for example indicate which hospitals are provided with the device of a specific manufacturer. This is advantageous in the situation where people are allowed to choose the hospital they want to undergo medical care activities. When they have become familiar with a specific examination device via the method and system according to the invention, they can decide on a hospital which offers these devices for the examination.

The user is also offered the option to indicate the name of a medical care location together with the indication of a selected medical care equipment A, which name indication is used for the selection of a three-dimensional representation R' of the indicated medical care equipment A. In this manner the person is enabled to take a look at how a specific medical care location, such as a hospital in his neighbourhood, has arranged said specific medical equipment and processes related to it.

It is noted that the method and system according to the invention may provide an experience of various medical care equipment via the user interface. For example next to MRI-examination devices, other types of examination may be experienced, such as X-ray, Computed Tomography and Ultrasound. Next to examinations, other types of medical care equipment may be experienced such as the equipment used with radiotherapy, rehabilitation training, or surgery. In the latter case, the three-dimensional representation comprises for

example an operating room, the equipment provided in such a room, and a medical staff performing surgery on a patient who is present in said room.

It is noted that the method and system according to the invention may also advantageously be used to inform medical professionals on medical equipment. Companies
5 selling professional medical care equipment strongly focus their attention on their direct customers. These customers are medical professionals who take the decisions on which medical care equipment should be installed in their hospital. To serve these customers in an optimal manner, they are regularly invited to visit information centres or reference sites, hospitals in their direct surroundings. These information centres and reference sites are
10 equipped with the newest ranges of professional medical care equipment to give the customers a chance to experience the equipment in action. They can walk around the equipment and be informed on all of its features by qualified salespeople. In addition to, or instead of, visiting these reference sites, medical professionals may also be offered an experience of the medical care equipment via the method according to the invention, and thus
15 obtain a thorough insight of the equipment without having to visit a reference site.

It is furthermore noted, that the system may comprise a personal computer as described hereinbefore, which is located at the user's home, and communicates with a server via a public switching network such as for example the Internet. Of course the user interface may also be located at a different location, such as for example at the practice of a person's
20 family doctor. During a visit to the doctor, one may experience the medical care equipment in the presence of the doctor. The system may also be of another type, such as a personal computer comprising a CD-ROM and suitable software, or a virtual reality system.

By means of the method and system according to the invention, large numbers of people are enabled to obtain information in a user-friendly manner on various medical care
25 equipment simultaneously, independent of their location or the time of day.

CLAIMS:

1. A method for enabling a person to obtain information on medical care equipment, the method comprising a first step of offering the person an option to indicate a selected medical care equipment on a user interface, and a second step of transmitting, on receipt of an indication of the selected medical care equipment, information relating to the indicated medical care equipment to the user interface,
5 characterized in that the method comprises:
 - a step of offering the person an option to select a viewpoint,
 - a further step of selecting, from a database comprising three-dimensional representations of medical care equipment, a three-dimensional representation
10 of the indicated medical care equipment, and
 - a step of generating a two-dimensional view from a selected viewpoint of the selected three-dimensional representation.
2. A method as claimed in Claim 1, wherein the method comprises a step of
15 offering an option to adjust the selected three-dimensional representation, representing a change in the configuration of the selected medical care equipment.
3. A method as claimed in Claim 1, wherein the method comprises a step of offering an option to generate a sequence of two-dimensional views.
20
4. A method as claimed in Claim 1, wherein the information comprises audible informatio relating to the indicated medical care equipment.
5. A method as claimed in Claim 1, wherein the medical care equipment
25 comprise a medical examination device.
6. A method as claimed in Claim 1 and 5, wherein a viewpoint may be selected from which a two-dimensional view of an inside area of a medical examination device is generated.

7. A method as claimed in Claim 4 and 5, wherein the audible information comprises operating sound of the indicated the medical examination device.

5 8. A method as claimed in Claim 1, wherein the first step is combined with offering the person the option to include information on facial characteristics of him-or herself with this indication, which information is included in the selected three-dimensional representation.

10 9. A method as claimed in Claim 1, wherein the first step is combined with offering the person the option to include the name of a medical care location, which indication is used for the selection of a three-dimensional representation of the indicated medical care equipment.

15 10. A system for enabling a person to obtain information on medical care equipment, comprising:

- a user interface comprising means for indicating a selected medical care equipment on the user interface, and
- a computer means for receiving an indication of the selected medical care
20 equipment from the user interface, and for transmitting, on receipt of said indication, information relating to the indicated medical care equipment to the user interface,

characterized in that the system comprises:

- means for selecting a viewpoint,
- 25 - a database comprising three-dimensional representations of medical care equipment;
- means for selecting, from said database, a three-dimensional representation based on the indication of the selected medical care equipment;
- means for generating a two-dimensional view from a selected viewpoint of the
30 selected three-dimensional representation.

ABSTRACT:

The invention relates to a method for enabling a person to obtain information on medical care equipment (A), the method comprising a step of offering the option to indicate the medical care equipment (A) on a user interface (1), comprising a step of transmitting, on receipt of the indication of the medical care equipment (A), information (B) related to the indicated medical care equipment (A) to the user interface, and comprising a step of offering the person an option to select a viewpoint, a further step of selecting, from a database (3a) comprising three-dimensional representations of medical care equipment, a three-dimensional representation (R) of the indicated medical care equipment (A), and a step of generating a two-dimensional view (V) from a selected viewpoint of the selected three-dimensional representation (R). The person can personally control the viewpoint from which he wants the two-dimensional view to be generated, and can thus experience the medical care equipment which he or she later will experience as a patient, from different angles and views as a spectator in real life.

15 Fig. 2

1/1




Fig.1




Fig.2

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☒ FADED TEXT OR DRAWING
- ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☒ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.